

	Type	Hits	Search Text	DBs
1	BRS	887257	light or lamp	USPAT
2	BRS	10988	(sound or (sound adj chip)) and amplifier and speaker\$4	USPAT
3	BRS	124	fragrance with container and dispenser	USPAT
4	BRS	0	(light or lamp) and ((sound or (sound adj chip)) and amplifier and speaker\$4) and (fragrance with container and dispenser)	USPAT
5	BRS	2211443	light or lamp	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	329403	sound	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	21278	fragrance	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	231	(light or lamp ) and fragrance and sound	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	10	differact\$5 adj grat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	24801	diffract\$5 adj grat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1995	((diffract\$5 adj grat\$5) and (tube or pipe))	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	27	((diffract\$5 adj grat\$5) and (tube or pipe)) and rainbow	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	181	362/86.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	339	362/101.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	22	362/101.ccls. and sound	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	0	362/101.ccls. and frangrance and sound and light	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	21	362/101.ccls. and sound and light	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1190	362/253.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	362/253.ccls. and frangrance and sound and light	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	350	362/227.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	362/227.ccls. and frangrance and sound and light	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	7	362/227.ccls. and sound and light	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	79	362/254.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	5692	night near4 light	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	742	(night near4 light) and (sound or radio or audio)	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	4	((night near4 light) and (sound or radio or audio)) and fragrance	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	1387	night adj light	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	3	(night adj light) and (sound or radio or audio) and fragrance	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	1387	night adj light	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	9	(night adj light ) and strobe	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	2	(night adj light) with strobe	USPAT; EP ; JP ; DERWENT; IBM_TDB
32	BRS	888558	light or lamp	USPAT
33	BRS	3859	(light or lamp) with strobe	USPAT
34	BRS	574	((light or lamp) with strobe ) and sound	USPAT
35	BRS	3	((light or lamp) with strobe ) and sound) and (night adj light)	USPAT
36	BRS	147	((light or lamp) with strobe ) and sound) and emergency	USPAT
37	BRS	4116	strobe adj (light or lamp)	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	8	( strobe adj (light or lamp)) and (night adj light)	USPAT
39	BRS	292	( strobe adj (light or lamp)) and (fragrance or odor or chemical or drug)	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	57	(( strobe adj (light or lamp)) and (fragrance or odor or chemical or drug)) and sound	USPAT
41	BRS	0	(sound adj chip) with (interchang\$5 adj cartridge)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	0	(sound adj chip) same (interchang\$5 adj cartridge)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	5	((sound adj chip) with cartridge) and (circuit adj board)	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	IS&R	0	("60213006").PN.	USPAT
45	IS&R	1	("6021306").PN.	USPAT
46	BRS	6	(sound adj chip) with cartridge	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	350	interchang\$5 adj cartridge	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	2	(interchang\$5 adj cartridge) with chip	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	0	(interchang\$5 adj cartridge) with (sound adj chip)	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	(interchang\$5 adj cartridge) same (sound adj chip)	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	13222	electrical adj (outlet or plug)	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	7336	electrical adj plug	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	544	(electrical adj plug) same rotat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	465	(electrical adj outlet) same (horizontal near4"or'near5 vertical)	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	6	((electrical adj plug) same rotat\$5) and ((electrical adj outlet) same (horizontal near4"or'near5 vertical))	USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	196	rotat\$6 near4 electrical near4 plug	USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	751	rotat\$6 with (electrical near4 plug)	USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	51	(rotat\$6 near4 electrical near4 plug) and (light or lamp)	USPAT; EPO; JPO; DERWENT; IBM_TDB
59	IS&R	1	("5823390").PN.	USPAT
60	IS&R	1	("4804821").PN.	USPAT
61	BRS	243	(light or lamp ) and fragrance and sound	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	7	((light or lamp ) and fragrance and sound ) and remot\$5 n ar4 (actu\$4 or control\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
63	BRS	7	((light or lamp ) and fragranc and s und ) and (remot\$5 near4 (actu\$4 or control\$5))	USPAT; EP ; JPO; DERWENT; IBM_TDB
64	BRS	6	cartridge with (sound adj chip)	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	4	interchang\$6 with (sound adj chip)	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	0	interchang\$6 adj (sound adj chip)	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	2	interchang\$6 near4 (sound adj chip)	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	1	(interchang\$6 with (sound adj chip) ) and light	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	IS&R	2	((("6000658") or ("5964519")).PN.	USPAT
70	BRS	2	("4549250"   "4965855").PN.	USPAT
71	BRS	1	5964519.URPN.	USPAT
72	BRS	2	("4549250"   "4965855").PN.	USPAT
73	BRS	8	("3248530"   "3443083"   "3531635"   "3780260"   "4070777"   "4072855"   "4163998"   "4493011").PN.	USPAT
74	BRS	19	("D091541"   "D214839"   "2546820"   "2639939"   "2746798"   "3347480"   "3587437"   "4056228"   "4168550"   "4209864"   "4434938"   "4684075"   "4770679"   "4834316"   "5016781"   "5359738"   "5390833"   "5598954"   "5660313").PN.	USPAT
75	BRS	13543	electrical adj (outlet or plug)	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	4	(electrical adj (outlet or plug) ) and light and sound and (fragrance or aroma)	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	205665	wall near5 (unit or mount\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	(wall near5 (unit or mount\$4)) and sound and light and fragrance	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	6	(wall near5 (unit or mount\$4)) and sound and light and fragrance	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	8	("2129368"   "2540144"   "2813452"   "2905049"   "3795438"   "4603030"   "4629604"   "4707338").PN.	USPAT
81	BRS	8	5069876.URPN.	USPAT
82	BRS	264	sound and light and fragrance	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	IS&R	2	("4804821").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	13	("2513919"   "2611068"   "2690501"   "2841695"   "2942090"   "3317880"   "3668607"   "4037901"   "4370010"   "4384756"   "4391781"   "4467177"   "4631387").PN.	USPAT
85	BRS	565	(electrical adj (outlet or plug) ) and sound and light	USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	2	((electrical adj (outlet or plug) ) and sound and light) and fragrance	USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	383	((electrical adj (outlet or plug) ) and sound and light) and wall	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	149	((electrical adj (outlet or plug) ) and sound and light) and (wall near4 mount\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
89	IS&R	2	("5111477").PN.	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB
90	BRS	14	("2611068"   "2942090"   "3180999"   "3247358"   "3385957"   "4327278"   "4378486"   "4547657"   "4631387"   "4731520"   "4795883"   "4798935"   "4804821"   "4849606").PN.	USPAT
91	BRS	405	(fragrance or aroma) and (sound or music) and (light or illumination)	USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	146	((fragrance or aroma) and (sound or music) and (light or illumination)) and (wall ner4 (plug or receptacle))	USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	5	((fragrance or aroma) and (sound or music) and (light or illumination)) and (wall near4 (plug or receptacle))	USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	11	("2440974"   "3587437"   "3943859"   "4434938"   "4521919"   "4773863"   "5008964"   "5253375"   "5276595"   "5319812"   "5355537").PN.	USPAT
95	BRS	4	5499008.URPN.	USPAT
96	BRS	4	5499008.URPN.	USPAT
97	BRS	1	362/254.ccls. and @pd > "20020901"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	BRS	10	362/251.ccls. and @pd > "20020901"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	19	362/227.ccls. and @pd > "20020901"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	66	362/253.ccls. and @pd > "20020901"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	31	362/101.ccls. and @pd > "20020901"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	7	362/86.ccls. and @pd > "20020901"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	8	("4247844"   "5086377"   "5420766"   "5446985"   "5662406"   "5785407"   "5941629"   "6158870").PN.	USPAT
104	BRS	0	6527402.URPN.	USPAT
105	IS&R	2	("4804821").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
106	IS&R	2	("4549250").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
107	BRS	8	("3248530"   "3443083"   "3531635"   "3780260"   "4070777"   "4072855"   "4163998"   "4493011").PN.	USPAT
108	BRS	26	4549250.URPN.	USPAT
109	IS&R	1	("6527402").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
110	IS&R	5	((("6527402") or ("6478440") or ("6104866") or ("4714984") or ("4549250"))).PN.	USPAT
111	BRS	3315	night near (light or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
112	BRS	0	night near (light or lamp) and (gel near fragrance) and ((optical or light) near sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
113	BRS	4	night near (light or lamp) and (gel near fragrance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
114	BRS	3	night near (light or lamp) and fragrance and ((optical or light) n ar sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
115	BRS	3	(night near (light or lamp)) and fragrance and ((optical or light) near sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
116	BRS	0	(night near (light or lamp) and (interchang\$5 near (face near plate))) and fragrance and ((optical or light) near sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
117	BRS	0	(night near (light or lamp) and (interchang\$5 near (face near plate))) and ((optical or light) near sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
118	BRS	6	night near (light or lamp) and (interchang\$5 near (face near plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
119	BRS	0	night near (light or lamp) and (chang\$5 near (face near plate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
120	BRS	88	(night near (light or lamp)) and (face near plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
121	BRS	3	(night near (light or lamp)) and (face near plate) and fragrance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
122	BRS	9	("1981650"   "2303073"   "2577320"   "2586039"   "3203126"   "3443083"   "4346059"   "4544592"   "4549250").PN.	USPAT
123	BRS	9	("1981650"   "2303073"   "2577320"   "2586039"   "3203126"   "3443083"   "4346059"   "4544592"   "4549250").PN.	USPAT
124	BRS	22	4714984.URPN.	USPAT
125	IS&R	1	("6527402").PN.	USPAT
126	BRS	8	("4247844"   "5086377"   "5420766"   "5446985"   "5662406"   "5785407"   "5941629"   "6158870").PN.	USPAT
127	BRS	243	(night near (light or lamp)) and ((optical or light) near sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
128	BRS	3	(night near (light or lamp)) and ((optical or light) near sensor) and fragrance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
129	BRS	9	362/86.ccls. and @pd > "20030301"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
130	BRS	42	362/101.ccls. and @pd > "20030301"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
131	BRS	84	362/253.ccls. and @pd > "20030301"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
132	BRS	25	362/251.ccls. and @pd > "20030301"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
133	BRS	3	362/254.ccls. and @pd > "20030301"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB